

# SAFETY DATA SHEET

An Employee-Owned Company

Issue Date 11-Nov-2014 Revision Date 11-Dec-2014 Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name SPEED ZONE® Southern Broadleaf Herbicide for Turf

Other means of identification

Product Code PBI FP 656-6 EPA Pesticide Registration Number 2217-835

Recommended use of the chemical and restrictions on use

Recommended Use Herbicide.

**Uses advised against**No information available.

Details of the supplier of the safety data sheet

SupplierManufacturerCompany NamePBI Gordon CorporationPBI Gordon CorporationPBI Gordon Corporation1217 West 12th Street1217 West 12th Street1217 West 12th StreetKansas City, MO 64101Kansas City, MO 64101Kansas City, MO 64101

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

#### 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2A
Flammable liquids	Category 4

The International Agency for Research on Cancer (IARC) lists chlorophenoxy herbicides in its Group 2B (limited evidence for Carcinogenicity in humans.) The US EPA has given the chlorophenoxy Herbicides 2,4-D, 2,4-DP, MCPP, and MCPA a Class D classification (not classifiable as to human carcinogenicity.) More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen.

### Label elements

## **Emergency Overview**

## Danger

#### Hazard statements

Harmful if swallowed. Harmful in contact with skin. Toxic if inhaled. Causes serious eye irritation. May cause an allergic skin reaction.

Combustible liquid.



Appearance Liquid Physical state Liquid Odor Esters

### **Precautionary Statements - Prevention**

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- Contaminated work clothing should not be allowed out of the workplace
- Keep away from heat/sparks/open flames/hot surfaces. No smoking
- Keep cool

## **Precautionary Statements - Response**

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse
- If skin irritation or rash occurs: Get medical advice/attention
- Call a POISON CENTER or doctor/physician
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- In case of fire: Use CO2, dry chemical, or foam for extinction

## **Precautionary Statements - Storage**

- · Store locked up
- · Store in a well-ventilated place. Keep container tightly closed

## **Precautionary Statements - Disposal**

• Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

#### Other Information

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Trade Secret	Proprietary	30-40*
2,4-D, 2-ethylhexyl ester	1928-43-4	10.49
R(+)2(2 Methyl-4-chlorophenoxy)propionic acid (MCPP)	16484-77-8	2.66
3,6-Dichloro-o-anisic acid (Dicamba)	1918-00-9	0.67

carfentrazone-ethyl (ISO) ethyl	128639-02-1	0.54
(RS)-2-chloro-3-[2-chloro-4-fluoro-5-[4-difluorometh		
yl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl[p		
henyl]propionate		

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret

#### 4. FIRST AID MEASURES

First aid measures

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin Contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is not required. If skin irritation persists, call

a physician.

**Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products. Get medical attention if irritation develops and persists.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician immediately.

**Self-protection of the first aider** Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** May cause sensitization of susceptible persons. Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

#### Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

#### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against

static discharges.

**Environmental precautions** 

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover

powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up. Take

precautionary measures against static discharges.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not

eat, drink or smoke when using this product. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take necessary action to avoid

static electricity discharge (which might cause ignition of organic vapors).

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated

place. Keep away from heat. Keep in properly labeled containers.

**Incompatible materials** None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2,4-D, 2-ethylhexyl ester	TWA: 10 mg/m <sup>3</sup> inhalable fraction	TWA: 10 mg/m <sup>3</sup>	IDLH: 100 mg/m³, TWA: 10
1928-43-4	S*		mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

**Engineering Controls** Local and General Ventilation.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

Esters

Pensky-Martens Closed Cup (PMCC)

# PBI FP 656-6 SPEED ZONE® Southern Broadleaf Herbicide for Turf

**Skin and body protection** Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Odor

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular

cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Liquid Appearance Liquid

Color Amber Odor threshold No information available

Property Values Remarks • Method

pH Not Applicable

Melting point/freezing point <35 °F

Boiling point / boiling range > 93 °C / 200 °F Flash point 93 °C / 199 °F

Evaporation rate < 1

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

**Specific Gravity** 0.8994 **Water solubility** Emulsifier

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableOxidizing propertiesNo information available

**Other Information** 

**Density** 7.45 pounds/gallon

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

## **Chemical stability**

Stable.

## **Possibility of Hazardous Reactions**

None under normal processing.

#### Hazardous polymerization

Will not occur.

## **Conditions to avoid**

Heat, flames and sparks.

# PBI FP 656-6 SPEED ZONE® Southern Broadleaf Herbicide for Turf

#### **Incompatible materials**

None known.

#### **Hazardous Decomposition Products**

May emit toxic fumes under fire conditions. Hydrogen chloride. Nitrogen oxides (NOx). Carbon monoxide.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

#### **Product Information**

**Inhalation** Irritant, moderate respiratory.

**Eye contact** May cause slight irritation.

**Skin Contact** Moderate skin irritation.

Ingestion Ingestion of large amounts can cause abdominal discomfort, nausea, and vomiting.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h

### Information on toxicological effects

Symptoms No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Output**Not a skin sensitizer.

No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2,4-D, 2-ethylhexyl ester 1928-43-4		-		X
R(+)2(2 Methyl-4-chlorophenoxy)pro pionic acid (MCPP) 16484-77-8		-		X

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure.

**Aspiration hazard** No information available.

## Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 45% of the mixture consists of ingredient(s) of unknown toxicity

Oral LD50 > 2000 mg/kg Rat-male Rat-female

Dermal LD50 > 2000 mg/kg (rabbit)

Inhalation LC50 > 2.04 mg/L Rat-male Rat-female

### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-gas) 1033 mg/L

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects

45% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trade Secret		45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static		4720: 96 h Den-dronereides heteropoda mg/L LC50
2,4-D, 2-ethylhexyl ester 1928-43-4	30: 120 h Pseudokirchneriella subcapitata mg/L EC50 30: 120 h Pseudokirchneriella subcapitata mg/L EC50 static	6 - 8.7: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.8: 96 h Oncorhynchus mykiss mg/L LC50 static 11.5: 96 h Lepomis macrochirus mg/L LC50 static		

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container, unless specified by the manufacturer.

US EPA Waste Number U240

## 14. TRANSPORT INFORMATION

DOT

**Proper shipping name** For package sizes less than 192.9 gallons: product is non-regulated.

For package sizes 192.9 gallons or greater: UN3082, Eviromentally Hazardous

Substances, Liquid, N.O.S., 9, PGIII, RQ (2,4-D)

**Description** The following guidelines apply for domestic ground transport. If shipping by air or ocean,

please contact our Transportation Dept.

PESTICIDES, NOI, INCLUDING DEFOLIANTS, FUNGICIDES, HERBICIDES, OR

INSECTICIDES NMFC 155050-6

If shipped in bulk conatiners (greater than 119 gallons), this product is a Marine Pollutant.

When shipped as a Hazardous Material, label required is Class 9 (Miscellaneous).

Placards required on bulk shipments only.

## 15. REGULATORY INFORMATION

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** 2217-835

## Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **EPA Pesticide Label**

Caution. Keep out of the reach of children. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Harmful if swallowed.

#### **International Inventories**

**TSCA** Not Listed **DSL/NDSL** Not Listed **EINECS/ELINCS** Not Listed **ENCS** Not Listed **IECSC** Not Listed Not Listed **KECL PICCS** Not Listed **AICS** Not Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Trade Secret	Х	Х		X		Х	Х	Х	Х	Х
2,4-D, 2-ethylhexyl ester				Х						
R(+)2(2 Methyl-4-chlorophenoxy)pro pionic acid (MCPP)				Х						
3,6-Dichloro-o-anisic acid (Dicamba)				Х		Х		Х	Х	Х
carfentrazone-ethyl (ISO) ethyl (RS)-2-chloro-3-[2-chloro-4-fl uoro-5-[4-difluoromethyl-4,5- dihydro-3-methyl-5-oxo-1H-1 ,2,4-triazol-1-yl[phenyl]propi onate							Х	Х		

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
2,4-D, 2-ethylhexyl ester - 1928-43-4	1928-43-4	10.49	0.1
3,6-Dichloro-o-anisic acid (Dicamba) - 1918-00-9	1918-00-9	0.67	1.0

#### SARA 311/312 Hazard Categories

OAINA 311/312 Hazard Gategories

# PBI FP 656-6 SPEED ZONE® Southern Broadleaf Herbicide for Turf

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

# **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
2,4-D, 2-ethylhexyl ester 1928-43-4	100 lb			
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	1000 lb			Х

## CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
2,4-D, 2-ethylhexyl ester	100 lb		RQ 100 lb final RQ
1928-43-4			RQ 45.4 kg final RQ
3,6-Dichloro-o-anisic acid	1000 lb		RQ 1000 lb final RQ
(Dicamba)			RQ 454 kg final RQ
1918-00-9			-

## **US State Regulations**

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2,4-D, 2-ethylhexyl ester	X		
1928-43-4			
3,6-Dichloro-o-anisic acid	X	X	X
(Dicamba)			
1918-00-9			

## **International Regulations**

Mexico - Grade Moderate risk, Grade 2

16. OTHER INFORMATION						
NFPA	Health hazards 2	Flammability 2	Instability 0	Physical and Chemical		
HMIS	Health hazards 2	Flammability 2	Physical hazards 0	Properties - Personal protection X		

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

**End of Safety Data Sheet**