

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name	Mixture
CAS No.	Mixture
Trade Name	Perfect Data Eco II Duster
Product Code	PD-105842-1 (M-5670.01)

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Dusting agent
Uses Advised Against	None

Company Identification	Spray Products Corporation P.O. Box 737 Norristown, PA 19404
------------------------	--

Telephone	(610) 277-1010
Fax	(610) 277-4390
E-Mail (competent person)	johnd@sprayproducts.com

Emergency telephone number

Emergency Phone No.	Transportation Emergency: CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)
---------------------	---

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)	Flam. Aerosol 1; Liquified Gas; Simple Asphyxiant
-----------------------------	---

Label elements

Hazard Symbol



DANGER

Signal word(s)

Hazard Statement(s)

Extremely flammable aerosol.
Contains gas under pressure; may explode if heated.
May displace oxygen and cause rapid suffocation.

Precautionary Statement(s)

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Avoid breathing spray.
Store in a well-ventilated place. Do not use in confined spaces.
Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.
Wear eye/face protection.
Wash hands and exposed skin after use.
Keep out of reach of children.

Other hazards

Intentional inhalation of gas from container may be fatal.

Methods and material for containment and cleaning up Gaseous. Not normally required.

Reference to other sections None

Additional Information None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid contact with skin and eyes. Use product in a well-ventilated area only. Do not use in confined spaces.

Conditions for safe storage, including any incompatibilities

-Storage temperature Protect from sunlight. Keep in a cool, well ventilated place. Store at temperatures not exceeding 50 °C / 122 °F.

-Incompatible materials This product should be stored away from sources of strong heat or oxidizing chemicals. Materials to avoid: Alkalai or Alkaline Earth Metals (Al, Zn).

Specific end use(s) Dusting agent

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

SUBSTANCE.	CAS No.	(8hr TWA)		(STEL)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
None	-----	-----	-----	-----	-----	#

#Assure minimum oxygen content of work atmosphere.

Recommended monitoring method None

Exposure controls

Appropriate engineering controls Ensure adequate ventilation.

Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber)



Respiratory protection Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment. A dust mask is not acceptable.



Thermal hazards Not normally required. Use gloves with insulation for thermal protection, when needed.

Environmental Exposure Controls None known

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Liquefied Gas
Color.	Colorless
Odor	Slight ethereal odor
Odor Threshold (ppm)	Not available
pH (Value)	Not available
Melting Point (°C) / Freezing Point (°C)	Not available
Boiling point/boiling range (°C):	-25 (1,1-Difluoroethane)
Flash Point (°C)	-50, est. (1,1-Difluoroethane)
Evaporation Rate	>1 (Ethyl ether =1) (1,1-Difluoroethane)
Flammability (solid, gas)	Extremely flammable
Explosive Limit Ranges	3.9% - 16.9% v/v (1,1-Difluoroethane)
Vapor pressure (Pascal)	5.3×10^5 @ 21°C (1,1-Difluoroethane)
Vapor Density (Air=1)	2.4 (1,1-Difluoroethane)
Density (g/ml)	Not available
Solubility (Water)	0.28% @ 21°C (1,1-Difluoroethane)
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Point (°C)	440 (1,1-Difluoroethane)
Decomposition Temperature (°C)	Not available
Kinematic Viscosity	Not available
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Other information	Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable.
Possibility of hazardous reactions	None anticipated.
Conditions to avoid	Avoid contact with heat and ignition sources.
Incompatible materials	Strong oxidizing agents. Materials to avoid: Alkalai or Alkaline Earth Metals (Al, Zn).
Hazardous decomposition product(s)''''	Hydrofluoric Acid and Carbonyl Halides.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Acute toxicity (Inhalation)	ALC (approximate lethal concentration) = 383000 ppm 4 hr exposure
-----------------------------	--

SECTION 12: ECOLOGICAL INFORMATION

Aquatic toxicity:

Short term	Not available
Long Term	Not available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

SECTION 14: TRANSPORT INFORMATION

	<u>U.S. DOT</u>	<u>Sea transport (IMDG)</u>	<u>Air transport (ICAO/IATA)</u>
UN number	1030	1030	1030
Proper Shipping Name	1,1-Difluoroethane	1,1-Difluoroethane	1,1-Difluoroethane
Transport hazard class(es)	2.1	2.1	2.1
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	None assigned	None assigned	None assigned
Special precautions for user	None assigned	None assigned	None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None	----	----	----

SARA 311/312 - Hazard Categories:

Fire Sudden Release Reactivity Immediate (acute) Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Isopropanol	67-63-0	0.0087

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None	----	----	----

California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
None	----	----

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: October 3, 2014

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H220: Extremely flammable gas.
- H280: Contains gas under pressure; may explode if heated.

Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.