# **SAFETY DATA SHEET**



Issue Date 07-May-2011 Revision Date 3-Mar-2015 Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Lift Away Aerosol

Other Means of Identification

**SDS** # DCI-051

UN/ID No UN1950

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Graffiti remover.

#### **Details of the Supplier of the Safety Data Sheet**

Supplier Address Dumond Chemicals, Inc. 83 General Warren Blvd Suite 190 Malvern, PA 19355

**Emergency Telephone Number** 

Company Phone Number 1-609-655-7700

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

# Classification

| Acute toxicity - Oral                     | Category 4  |
|---|-------------|
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4  |
| Serious eye damage/eye irritation         | Category 2  |
| Germ cell mutagenicity                    | Category 1B |
| Flammable Aerosols                        | Category 2  |

### Signal Word Danger

# **Hazard Statements**

Harmful if swallowed Causes severe eye irritation May cause genetic defects Harmful if inhaled

Revision Date 3-Mar-2015 DCI-051 - Lift Away Aerosol

Flammable aerosol

Pressurized container: May burst if heated







Appearance White liquid

Physical State Aerosol

Odor Slight characteristic odor

# **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear eye/face protection

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Get medical attention if irritation occurs

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

# **Precautionary Statements - Storage**

Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

<u>Other Hazards</u> Toxic to aquatic life with long lasting effects

Toxic to aquatic life

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name       | CAS No    | Weight-% |
|---------------------|-----------|----------|
| Benzyl alcohol      | 100-51-6  | 40-60    |
| Water               | 7732-18-5 | 20-40    |
| Dimethyl ether      | 115-10-6  | 20-30    |
| Propylene carbonate | 108-32-7  | 1-10     |
| Isobutane           | 75-28-5   | 1-5      |

## 4. FIRST AID MEASURES

**First Aid Measures** 

**General advice** If exposed or concerned: Get medical advice/attention.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. If breathing is

difficult, give oxygen. Get medical attention if necessary.

**Eye Contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention if irritation occurs.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If

conscious give 1 glass of water to dilute. Call a POISON CENTER or doctor/physician if

you feel unwell.

**Skin Contact** Wash thoroughly with soap and water until no traces of the chemical remain. Remove

contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin

irritation persists, call a physician.

#### Most Important Symptoms and Effects, both Acute and Delayed

**Symptoms** Exposed individuals may experience eye tearing, redness and discomfort. May include

redness, drying and cracking of skin. In high concentrations, vapors and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Possible aspiration hazard. Area of contact may become numb due to anesthetic effects. May cause

gastrointestinal irritation, nausea, diarrhea, and vomiting.

#### Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically. Individuals with chronic eye, skin and respiratory disorders may be

at an increased risk from expose to this material.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

# **Specific Hazards Arising from the Chemical**

Contents under pressure. Keep away from heat, sparks, or open flames. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting. Flammable. Cool containers exposed to flames with water until well after the fire is out. Aerosol flame projection test: >18" extension at 70 F.

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx).

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use shielding to protect against bursting cans.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

**Environmental Precautions** See Section 12 for additional ecological information.

#### Methods and Material for Containment and Cleaning Up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Contain and collect with an inert absorbent and place into an appropriate container for

disposal. Wash spill area with plenty of water. Prevent run off to storm sewers and ditches leading to natural waterways. Spills and releases may have to be reported to Federal

and/or local authorities. See section 15.

#### 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

**Advice on Safe Handling** Protect container from physical damage. Use personal protective equipment as required.

Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Use only with adequate ventilation. Wash face, hands, and any exposed skin thoroughly after handling. Keep out of the reach of children. Do not puncture or incinerate cans. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray near open flame. Follow all SDS/label precautions even after container is emptied because it may retain

product residues.

#### Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Protect from direct sunlight. Keep away from

incompatible materials, open flames, and high temperatures. Do not place can in hot water or near radiators, stoves, or other sources of heat. Store locked up. Do not store at

temperatures above 120°F.

Incompatible Materials Incompatible with strong acids and bases. Strong oxidizing agents. Strong reducing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

| Chemical Name | ACGIH TLV     | OSHA PEL | NIOSH IDLH                  |
|---------------|---------------|----------|-----------------------------|
| Isobutane     | TWA: 1000 ppm | -        | TWA: 800 ppm                |
| 75-28-5       | * *           |          | TWA: 1900 mg/m <sup>3</sup> |

#### **Appropriate Engineering Controls**

**Engineering Controls** Showers. Eyewash stations. Apply technical measures to comply with the occupational

exposure limits.

# Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection** Wear approved safety goggles. Do not wear contact lenses.

**Skin and Body Protection** Wear protective butyl rubber gloves. Wear impervious protective clothing, including boots,

gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas. If occupational exposure limits are

exceeded, use NIOSH approved respirator with organic vapor cartridges and dust/mist prefilter. For higher concentrations (greater than10 times the recommended exposure limit) an approved supplied air respirator (with escape bottle if required) or self– contained breathing apparatus may be required. Selection of respiratory protection depends on the contaminant type, form, and concentration. Select in accordance with OSHA 1910.134 and

good industrial hygiene practice.

**General Hygiene Considerations** 

Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on Basic Physical and Chemical Properties

Physical State Aerosol

AppearanceWhite liquidOdorSlight characteristic odor

Color White Odor threshold Not determined

Property Values Remarks • Method

**pH** 10

Melting point/freezing pointNot availableBoiling point/boiling rangeNot available

Flash point None(concentrate) <-41°C (propellant)

Evaporation rate Not determined Flammability (solid, gas) Not determined

Flammability limits in air

Upper flammability limits 18% (dimethyl ether) Lower flammability limit 1.8% (isobutane) Vapor pressure Not determined Vapor density Not determined Specific gravity 1.05 (concentrate) Water solubility Soluble in water Solubility in other solvents Not determined **Partition coefficient** Not available **Autoignition temperature** Not available **Decomposition temperature** Not determined Kinematic viscosity Not determined Dynamic viscosity Not determined **Explosive properties** Not determined **Oxidizing Properties** Not determined

**Other Information** 

 VOC Content (%)
 5-10%

 VOC Content
 6.17 lbs/gal

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to Avoid**

Keep out of reach of children. Heat, flames and sparks. Avoid all possible sources of ignition.

#### **Incompatible Materials**

Incompatible with strong acids and bases. Strong oxidizing agents. Strong reducing agents.

#### **Hazardous Decomposition Products**

May oxidize with air to form benzaldehyde and benzoic acid. Carbon oxides. Nitrogen oxides (NOx).

# 11. TOXICOLOGICAL INFORMATION

#### Information on Likely Routes of Exposure

#### **Product Information**

**Inhalation** Harmful if inhaled.

**Eye Contact** Causes severe eye irritation.

**Skin Contact** May be harmful in contact with skin.

**Ingestion** Harmful if swallowed.

#### **Component Information**

| Chemical Name                   | Oral LD50             | Dermal LD50           | Inhalation LC50        |
|---------------------------------|-----------------------|-----------------------|------------------------|
| Benzyl alcohol<br>100-51-6      | = 1230 mg/kg (Rat)    | = 2000 mg/kg(Rabbit)  | = 8.8 mg/L ( Rat ) 4 h |
| Water<br>7732-18-5              | > 90 mL/kg (Rat)      | -                     | -                      |
| Dimethyl ether<br>115-10-6      | -                     | -                     | = 308.5 mg/L (Rat) 4 h |
| Propylene carbonate<br>108-32-7 | = 29000 mg/kg ( Rat ) | > 20000 mg/kg(Rabbit) | -                      |
| Isobutane<br>75-28-5            | -                     | -                     | = 658 mg/L (Rat) 4 h   |

#### Information on Physical, Chemical and Toxicological Effects

Symptoms May include redness, drying and cracking of skin. Exposed individuals may experience eye

tearing, redness, and discomfort. Area of contact may become numb due to anesthetic effects. In high concentrations, vapors and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Possible aspiration hazard. May cause

gastrointestinal irritation, nausea, diarrhea, and vomiting.

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

**Germ cell mutagenicity** May cause genetic defects.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

**Chronic toxicity** Individuals with chronic eye, skin and respiratory disorders may be at an increased risk

from expose to this material.

**Aspiration hazard** Risk of serious damage to the lungs (by aspiration).

#### **Numerical Measures of Toxicity- Product**

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 1886 mg/kg
ATEmix (dermal) 3050 mg/kg
ATEmix (inhalation-gas) 1008 mg/l

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects

| Chemical Name                   | Algae/aquatic plants                           | Fish   | Toxicity to microorganisms   | Crustacea                            |
|---------------------------------|--|--|--|--------------------------------------|
| Benzyl alcohol<br>100-51-6      | 35: 3 h Anabaena variabilis<br>mg/L EC50       | 460: 96 h Pimephales<br>promelas mg/L LC50 static<br>10: 96 h Lepomis<br>macrochirus mg/L LC50<br>static | EC50 = 50 mg/L 5 min<br>EC50 = 63.7 mg/L 15 min<br>EC50 = 63.7 mg/L 5 min<br>EC50 = 71.4 mg/L 30 min | 23: 48 h water flea mg/L<br>EC50     |
| Propylene carbonate<br>108-32-7 | 500: 72 h Desmodesmus<br>subspicatus mg/L EC50 | 5300: 96 h Leuciscus idus<br>mg/L LC50 static 1000: 96 h<br>Cyprinus carpio mg/L LC50<br>semi-static     | EC50 > 10000 mg/L 17 h   | 500: 48 h Daphnia magna<br>mg/L EC50 |

# Persistence and Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

# **Mobility**

Not determined.

| Chemical Name                   | Partition coefficient |
|---------------------------------|-----------------------|
| Benzyl alcohol<br>100-51-6      | 1.1                   |
| Dimethyl ether<br>115-10-6      | -0.18                 |
| Propylene carbonate<br>108-32-7 | 0.48                  |
| Isobutane<br>75-28-5            | 2.88                  |

Other Adverse Effects

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# 14. TRANSPORT INFORMATION

**Note** Based on package size, product may be eligible for limited quantity exception

**DOT** (each not exceeding 1 L capacity)

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

**IATA** 

**UN/ID No** UN1950

Revision Date 12-Dec-2012 DCI-051 - Lift Away Aerosol

**Proper Shipping Name** Aerosols, flammable

**Hazard Class** 2.1

IMDG

UN/ID No UN1950 **Proper Shipping Name** Aerosols **Hazard Class** 2.1

# 15. REGULATORY INFORMATION

# **International Inventories**

**TSCA** Listed **DSL** Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL -Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### US Federal Regulations

# SARA 311/312 Hazard Categories

Acute health hazard Yes **Chronic Health Hazard** No Fire hazard No Sudden release of pressure hazard Yes **Reactive Hazard** No

# **US State Regulations**

# U.S. State Right-to-Know Regulations

| Chemical Name              | New Jersey | Massachusetts | Pennsylvania |
|----------------------------|------------|---------------|--------------|
| Benzyl alcohol<br>100-51-6 |            | X             | X            |
| Dimethyl ether<br>115-10-6 | X          | X             | X            |
| Isobutane<br>75-28-5       | Χ          | X             | X            |

#### U.S. EPA Label Information

# **16. OTHER INFORMATION**

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards140Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal ProtectionNot determinedNot determinedNot determinedNot determined

Issue Date07-May-2011Revision Date12-Dec-2012Revision NoteNew format

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 9/9