

## TURTLE WAX, INC. 2250 W. Pinehurst Blvd., STE 150 Addison, IL 60101

## SAFETY DATA SHEET

## 1. Product and Company Identification

1.1	Product	Identifier
Pro	duct Nam	e:

Product Code (SKU):

Turtle Wax Premium Grade Trim Restorer T125 (50601), T125C (50617)

1.2 Relevant Identified Uses Of The Substance

Product Use: Vinyl & Rubber Protectant - (Non-Aerosol)

## 1.3 Details of the Supplier of the SDS

Company Name: Street Address: City, State, Zip Code: Turtle Wax, Inc. 2250 W. Pinehurst Blvd., Suite 150 Addison, IL 60101

## **1.4 Emergency Telephone Numbers**

···· _···· ] ···· ] ···· ] ···· ] ···· ]			
Phone Number:	1(630)455-3700		
Fax Number:	1(630)455-3868		
Transportation:	1(800)424-9300 (CHEMTREC)		
Medical Assistance:	Call your local Poison Control Center		

## 2. Hazard Identification:

#### 2.1 Classification of the Substance or Mixture

Hazard Classification:	Aspiration Hazard 1*
	Serious Eye Irritant 2B
	Skin Irritation 2

2.2 Label Elements

Pictogram:

Signal Word:

Hazard Statement:

**Precautionary Statement:** 

and skin irritation.

Danger

Keep away from heat, sparks, open flames, or hot surfaces. No smoking. Wear protective gloves, glasses, and face protection to avoid contact. Wash hands thoroughly after handling. If on skin, wash thoroughly with soap and water. Remove contaminated clothing and launder before re-use. If skin irritation occurs, seek medical attention. If in eyes, rinse thoroughly with water for 15 minutes. Remove contact lenses if present. If eye irritation persists, seek medical

May be fatal if swallowed and enters airways. Causes eye

attention. Dispose of containers in accordance with local, state, and federal regulations.

## 2.3 Other Hazards

Description of additional HNOC: none

## 3. Information on Ingredients:

3.1 Substance not applicable

3.2 Mixture

<u>Component</u> Petroleum Distillates Hydrotreated Light Polydimethyl Siloxanes Aminofunctional Siloxanes <u>CAS Number</u> 64742-47-8 63148-62-9 71750-80-8

## Concentration (wt%) 60-80%

20-30% 1-5%

#### 4. First Aid Measures:

## 4.1 Description of First Aid Measures

**Inhalation:** Remove to fresh air and promote deep breathing. Get medical attention if effects persist.

**Skin:** In case of skin contact, wash thoroughly with soap and water. If irritation persists, get medical attention.

**Eyes:** In case of eye contact, immediately flush eyes with plenty of water. Remove contact lenses if worn. If irritation persists, get medical attention

**Ingestion:** If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if effects persist.

## 4.2 Most important symptoms and effects – acute and chronic

Inhalation:	May cause respiratory tract irritation.
Skin:	Cause skin irritation. Symptoms may include redness, drying, de-fatting, cracking, or dermatitis.
Eyes:	Cause mild eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with redness and swelling.
Ingestion:	May be harmful or fatal if swallowed and enters airways. May cause stomach distress, nausea and vomiting.

## 4.3 Indication of any immediate medical attention and special treatment

Symptoms may not appear immediately. Seek medical attention if effects persist and you feel unwell.

## 5. Fire Fighting Measures:

## 5.1 Extinguishing media

Water spray, carbon dioxide, dry chemical, and alcohol foam

## 5.2 Special hazards arising from the substance or mixture

CO2, CO, and hydrocarbons

### 5.3 Advice for Fire Fighters

Keep up wind of fire. Wear full firefighting turn out gear (full bunker gear) and respiratory protection (SCBA). See Section 8 for personal protection.

## 6. Accidental Release Measures:

## 6.1 Personal precautions, protective equipment, and emergency procedures

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.2 Methods and materials for containment and clean up

**For containment:** Contain and absorb spill with inert material. Place in suitable container for disposal.

**For clean up:** Take up material and place in a suitable container. Provide adequate ventilation. Spilled material may be slippery.

#### 7. <u>Handling and Storage</u>

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not swallow. Do not eat, drink or smoke while handling. Wash hands with soap and water after handling. Launder all clothing before re-use.

#### 7.2 Conditions for safe storage including incompatibilities

Keep out of reach of children. Keep container tightly closed. Store in a well ventilated place. Do not store above 49°C (120°F).

#### 7.3 Specific end uses

**Shelf Life:** Shelf life is considered to be 7 – 10 years when properly stored and kept closed.

#### 8. Exposure Control/Personal Protection:

#### 8.1 Control parameters

**Exposure Limits 8 hr TWA:** Petroleum Distillates Hydrotreated Light Aminofunctional Siloxanes Polydimethyl Siloxanes (OSHA PEL)

100 ppm not applicable not applicable (ACGIH TWA)

200 ppm not applicable not applicable

#### 8.2 Exposure controls

Use adequate ventilation to keep exposure below recommended limits. Ensure that eye wash station and safety shower are close to work station.

Hand Protection Equipment: Wear chemical resistant gloves, face shield, and clothing to prevent skin contact.

**Eye Protection Equipment:** Wear safety glasses or splash goggles to prevent eye contact. **Skin and Body Protection:** Wear suitable protective clothing.

Respiration/Ventilation Protection Requirements: Provide good ventilation.

**Ingestion Protection Requirements:** Do not eat, drink or smoke while handling. Wash hands with soap and water after handling. Launder all clothing and foot wear before re-use.

## 9. Physical And Chemical Properties:

#### 9.1 Information of basic chemical and physical properties

Physical Form:	slightly viscous liquid
Color: Odor Threshold: pH: Melting Point/Freeze Point: Initial Boiling Point: Flash Point (Seta Closed Cup): Flammability Limits: Explosive Li Evaporation Rate: Flammability Solid/Gas: Vapor Pressure: Vapor Density: Specific Gravity: Solubility in Water: Auto Ignition Temperature: Partition coefficient (n/octonol/water): Viscosity: 9. 2 Other information	water white - clear typical coconut not available none (oil based) not available >93°C (>200°F) <b>mits: Upper:</b> not available <b>Lower:</b> not available not available
%NVM by Weight: %VOC Content (California): 10. <u>Stability and Reactivity:</u>	30.0% 0.0%
<ul> <li>10.1 Reactivity</li> <li>Does not react under normal conditions</li> <li>10.2 Chemical stability</li> <li>Stable</li> </ul>	
<b>10.3 Possibility of hazardous reactions</b> Does not react under normal conditions	
<b>10.4 Conditions to avoid</b> Heat and incompatible materials	
<b>10.5 Incompatible materials</b> Strong oxidizers such as bleach and peroxi	ides

#### **10.6 Hazardous decomposition products**

CO<sub>2</sub>, CO and hydrocarbons

#### 11. Toxicological Information:

#### 11.1 Information on Toxicological effects

## Turtle Wax Premium Grade Trim Restorer

LD50 – Oral Rat	>2000 mg/Kg
LD50 – Dermal Rat	>2000 mg/Kg
LC50 – Inhalation Rat	>20 mg/L (4 hr)

#### Petroleum Distillate Hydrotreated Light (64742-47-8)

LD50 – Oral Rat	>5000 mg/Kg
LD50 – Dermal Rat	>2000 mg/Kg
LC50 – Inhalation Rat	5.2 mg/L (4 hr)

Skin corrosion/irritation Serious eye damage/irritation	May causes skin irritation May causes mild eye irritation	
Respiratory or skin sensitization	Based on available data, classification data are not met	
Germ cell mutagenicity	Based on available data, classification data are not met	
Carcinogenicity	Based on available data, classification data are not met	
Reproductive toxicity	Based on available data, classification data are not met	
Specific target organs – single expo	osure	
	Based on available data, classification data are not met	
Specific target organs – repeated exposure		
	Based on available data, classification data are not met	
Aspiration hazard	Based on available data, classification data are not met	
Symptoms/injuries after inhalation	May cause respiratory tract irritation	
Symptoms/injuries after skin contac	t May cause skin irritation. Symptoms may include redness, drying, de-fatting, cracking, or dermatitis	
Symptoms/injuries after eye contact	t May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with redness and swelling.	
Symptoms/injuries after ingestion	May be harmful or fatal if swallowed and enters airways. May cause stomach distress, nausea, and vomiting.	

#### 12. Ecological Information:

#### 12.1 Toxicity

Not recommended for release into aquatic systems without treatment

#### 12.2 Persistence and degradability

Not established

#### 12.3 Bioaccumulative potential

Not established

**12.4 Mobility in soil** Not established

**12.5 Other adverse effects** None known

#### 13. Disposal Considerations:

#### 13.1 Waste treatment methods

RCRA Hazardous Waste:	Not regulated as a hazardous waste	
Waste Disposal Method:	Dispose of in accordance with local, state and federal	
	regulations	
Waste Disposal Vessel:	Metal drums.	

#### 14. Transportation Information:

#### 14.1 UN number

None - not regulated as a hazardous material

# **14.2 UN Proper shipping name** None

**14.3 Transport Hazard class** Not applicable

**14.4 Packaging group** Not applicable

**14.5 Marine Pollutant** No

**14.6 Transportation in Bulk** Not applicable

**14.7 Special precautions** None

#### 15. Regulatory Information:

#### **15.1 US Federal Regulations**

**TSCA Status:** All ingredients are commercially available and listed by the manufacturer under TSCA.

#### **15.2 Foreign Regulations**

**Canadian Status**: All materials contained in this product are listed on the Canadian Domestic Substance List (DSL). Consult Turtle Wax, Inc. regarding status of ingredients.

European Union: All materials contained in this product are listed on EINECS.

AICS: All materials are registered for AICS (Australia)

#### 15.3 State Regulations

**State Regulatory Information:** 

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements, contact the appropriate agency in your state.

#### California Prop 65:

CAS Number	<b>Concentration</b>	State Code
None		
15.4 HMIS & NFPA Class	ifications	
HMIS Classification:	Health Flammability Reactivity	1 2 0
NFPA Classification:	Health Flammability Reactivity	1 2 0
16. Other Information:		
Reason For Issue	Update SKUs - M	linor
Prepared By	Joseph Whitman	
Preparer's Title Chemist, R&D		
SDS Administrator	Jean Mayszak - <sup>-</sup>	Fechnical Compliance Manager, R&D
Approval Date	May 17, 2017	
Supersedes Date	January 27, 2017	,
<b>Revision Number</b>	A – 6	

This information is, to the best of Turtle Wax, Inc.'s knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy oneself as to the suitableness and completeness of such information for their own particular use.