

SAFETY DATA SHEET

SDS NUMBER: 1000016856-15b-LPI

SDS REVISIONS: SEC. 2.1, 2.2

DATE OF ISSUE: 07/28/15

UNFOAMER®

SUPERSEDES: 05/04/15

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300**1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER****1.1 PRODUCT IDENTIFIER:****TRADE NAME:** UNFOAMER®**1.2 RECOMMENDED USE:** ANTIFOAMING/ DEFOAMING AGENT**1.3 SUPPLIER DETAILS:**

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24 Hour Emergency Phone: 1-800-424-9300 - Medical Emergencies: 1-866-944-8565

U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Classification according to 29 CFR 1910.1200

Eye irritation	Category 2	H319
Skin irritation	Category 2	H315
Toxicity - Oral	Category 5	H303

2.2 Label elements

Signal word:

WARNING

Hazard Statements:

H303 – May be harmful if swallowed.

H315 – Causes skin irritation.

H319 – Causes serious eye irritation.

Precautionary

Statement:

P264 – Wash hands thoroughly after handling.

(Prevention):

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary

Statement:

P332+P313 – IF SKIN IRRITATION OCCURS: Get medical advice / attention.

(Response):

P305+P351+P338 – IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present, and easy to do. Continue rinsing eyes.

P312 – Call a POISON CENTER or doctor / physician if you feel unwell.

P337+P313 – If eye irritation persists: Get medical advice / attention.

Precautionary

Statement:

P402+P404 – Store in a dry place. Store in a closed container.

(Storage):

(Disposal):

P501 – Dispose of contents / container on-site or at an approved waste disposal facility.

2.3 Other hazards

None known

KEEP OUT OF REACH OF CHILDREN –

Appearance and odor: Milky, white liquid with mild odor.

WARNING**Potential Health effects****Routes of exposure**

Eye contact, skin contact, inhalation.

Eyes

Eye irritation.

Skin

Mild skin irritation.

Inhalation

May be irritating to respiratory system.

Ingestion

May be harmful if swallowed.

Target organs

Skin. Eyes. Inhalation.

Signs and symptoms

Causes mild skin irritation.

Potential environmental effects

This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have harmful or damaging effect on the environment.

SAFETY DATA SHEET

SDS NUMBER: 1000016856-15b-LPI

SDS REVISIONS: SEC. 2.1, 2.2

DATE OF ISSUE: 07/28/15

UNFOAMER®
SUPERSEDES: 05/04/15**3. COMPOSITION, INFORMATION ON INGREDIENTS****3.1 Substances****3.2 Mixtures****Classification according to 29 CFR 1910.1200**

Chemical Name:	CAS No.	Classification	Concentration [%]
Dimethylpolysiloxane,	67762-90-7	Oral Tox.; 5: H303	
Polypropylene glycol,	Mixture	Skin Irrit. 2: H316	
Methylate silicone	Mixture	Eye Irrit. 2B: H320	100.00

4. FIRST AID MEASURES**4.1 Description of First Aid Measures**

General Advice: Get medical attention if symptoms occur.

Eye contact:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Ingestion:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Overview:	No data available.
Eyes:	Causes eye irritation.
Skin:	Causes mild skin irritation.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.
FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565
 Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES**5.1 EXTINGUISHING MEDIA:**Suitable Extinguishing Media: Foam, carbon dioxide (CO₂), dry chemical, water spray.**5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:**

Specific Hazards During Firefighting: Keep away from heat / sparks / open flames / hot surfaces - No smoking. Irritating or toxic substances may be emitted upon thermal decomposition. Thermal decomposition products may include oxides of carbon as well as smoke and fume.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

SAFETY DATA SHEET

SDS NUMBER: 1000016856-15b-LPI

SDS REVISIONS: SEC. 2.1, 2.2

DATE OF ISSUE: 07/28/15

UNFOAMER®
SUPERSEDES: 05/04/15**6. ACCIDENTAL RELEASE MEASURES****6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

Personal Precautions: In case of a major spill or spillage in a confined space, evacuate the area.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Do not allow spills to enter drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13). Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or watercourses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the U.S. Coast Guard National Response Center should also be informed.

7. HANDLING AND STORAGE**7.1 PRECAUTIONS FOR SAFE HANDLING:**

Advice on Safe Handling:

Handle containers carefully to prevent damage and spillage. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers:

Store in cool, dry place. Store in original container. Keep tightly closed. Do not reuse empty container. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**8.1 CONTROL PARAMETERS:****OCCUPATIONAL EXPOSURE LIMITS**

U.S. Workplace Exposure Level (OSHA, ACGIH, NIOSH) Guides

Components	Type	CAS No.	Value
No data available.	TWA		

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen
No listings		

8.2 EXPOSURE CONTROLS:**Engineering Measures**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Skin Protection: Coveralls worn over long-sleeved shirt and long pants. Chemical-resistant gloves. Chemical-resistant footwear plus socks.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of mists or vapors, use suitable respiratory equipment such as MSHA/NIOSH TC-21C or NIOSH approved respirator with N, R, P or HE filter. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

SAFETY DATA SHEET

SDS NUMBER: 1000016856-15b-LPI

SDS REVISIONS: SEC. 2.1, 2.2

DATE OF ISSUE: 07/28/15

UNFOAMER®

SUPERSEDES: 05/04/15

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE:	Liquid.
ODOR:	Mild.
ODOR THRESHOLD:	No data available.
COLOR:	Milky white.
pH:	7.5
MELTING POINT / FREEZING POINT:	No data available
BOILING POINT:	> 212°F (>100°C)
FLASH POINT:	> 200°F (>93.3°C).
FLAMMABILITY (solid, gas):	No data available.
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	No data available.
VAPOR PRESSURE:	No data available.
SOLUBILITY:	Soluble
PERCENT VOLATILE (by volume):	No data available
PARTITION CO-EFFICIENT, n-OCTANOL / WATER:	No data available.
AUTO-IGNITION TEMPERATURE:	No data available.
DECOMPOSITION TEMPERATURE:	No data available
VISCOSITY, dynamic:	1,900 cP
SPECIFIC GRAVITY (Water = 1):	1.01 g/ml
BULK DENSITY:	8.43 lbs./gal / 1.01 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

10.4 CONDITIONS TO AVOID

Oxidizing materials.

10.5 INCOMPATIBLE MATERIALS

Strong oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Can generate formaldehyde at temperatures of 300°F and above. Can also produce oxides of carbon, oxides of nitrogen and crystalline silica.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Eye contact. Skin contact.

LC₅₀ (rat): No data available**LD₅₀ Oral (rat):** No data available**LD₅₀ Dermal (rat):** No data available**Acute Toxicity Estimates:** No data available**Skin Irritation (rabbit):** Causes skin irritation.**Eye Irritation (rabbit):** Causes serious eye irritation.**Specific Target Organ Toxicity:** Single exposure: No data available.**Aspiration:** No data available**Skin Sensitization (guinea pig):** Not a sensitizer**Carcinogenicity:** No data available**Germ Cell Mutagenicity:** No data available**Interactive Effects:** None known

SAFETY DATA SHEET

SDS NUMBER: 1000016856-15b-LPI

SDS REVISIONS: SEC. 2.1, 2.2

DATE OF ISSUE: 07/28/15

UNFOAMER®

SUPERSEDES: 05/04/15

12. ECOLOGICAL INFORMATION**12.1 ECOTOXICITY****Ecotoxicological Data**

	Species	Test Results
Product component		
No data available.		

Prevent further leakage or spillage if safe to do so.
Do not contaminate water.
Do not allow to enter drains, sewers, or watercourses.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

No data available.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS**13.1 WASTE TREATMENT METHODS**

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrcycle.org/>. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION**14.1 LAND TRANSPORT**

DOT Shipping Description: NOT REGULATED.

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS 60)

15. REGULATORY INFORMATION**15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS****NFPA & HMIS Hazard Ratings:****NFPA**

1	Health	0	Least
0	Flammability	1	Slight
0	Instability	2	Moderate
		3	High
		4	Severe

HMIS

1	Health
0	Flammability
0	Reactivity
B	PPE

SAFETY DATA SHEET

SDS NUMBER: 1000016856-15b-LPI

SDS REVISIONS: SEC. 2.1, 2.2

DATE OF ISSUE: 07/28/15

UNFOAMER®

SUPERSEDES: 05/04/15

SARA Hazard Notification/Reporting

SARA Title III Hazard Category:

Immediate Y
Delayed NFire Y
Reactive NSudden Release of Pressure N

Reportable Quantity (RQ) under U.S. CERCLA: Ethyl acrylate (CAS: 140-88-5) 1,000 lbs.

SARA, Title III, Section 313: Ethyl acrylate (CAS: 140-88-5).

RCRA Waste Code: U113 (Ethyl acrylate).

CA Proposition 65: **WARNING:** This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

16. OTHER INFORMATION

SDS STATUS: Sections 2.1, 2.2 revised.

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

®Unfoamer is a registered trademark of Loveland Products, Inc.

CA REG. NO.: 34704-50062

WA REG. NO.: 34704-09002

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.