

SAFETY DATA SHEET

CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD (HCS) 29 CFR 1910.1200

Page 1 of 4

Revision Date Supersedes Date

7/30/2015 6/1/2015

SECTION 1. IDENTIFICATION

Product Identifier:

Mueller Hydrant Lubricant

Part number:

184048; 195166; 280354

Identified uses:

Industrial lubricant

Uses advised against:

Not for use where there is the possibility of contact with food. Other uses advised against may be specified elsewhere in this

SDS.

Supplier:

Pressure-Lube Inc. JAX

W134 N5373 Campbell Drive Menomonee Falls, WI 53051 USA

Email contact:

info@jax.com

Non-emergency contact:

Phone: 262-781-7660

Fax: 262-781-3906

Emergency telephone: **INFOTRAC:**

North America 1-800-535-5053

Australia 1-300-366-961

China 400-120-0761

Germany 0800-181-2926

International 011-1-352-323-3500 (collect)

SECTION 2. HAZARD(S) IDENTIFICATION

Classification:

Aspiration Toxicity Cat. 1

Label elements

Pictograms:



Signal word:

Danger

Hazard statements:

May be fatal if swallowed and enters airways.

Precautionary statements:

If swallowed: Immediately call a poison center/ doctor. Do NOT induce vomiting. Store locked up. Dispose of contents/

container in accordance with local/regional/national/international regulations.

Hazards not otherwise. Not applicable

classified:

Additional information: Not applicable

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition:

Chemical name

White mineral oil (petroleum), <20.5 cSt @ 40°C

% 100 8042-47-5

Impurities

None

SECTION 4. FIRST-AID MEASURES

First aid measures

Eve contact:

Remove contact lenses, if wearing, and flush eyes with water. If irritation persists, consult a physician.

Skin contact:

Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

ingestion:

If swallowed, DO NOT Induce vomiting. Obtain medical attention immediately. This is not a toxic substance.

Inhalation:

Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately.

Most important

May be fatal if swallowed and enters airways.

symptoms and effects. both acute and delayed:

indication of any

See First aid measures (above).

immediate medical attention and special treatment available:

General information:

No further relevant information available.

ECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing

Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct stream of water. Water may be used to keep fire-exposed containers cool.

media:

001716

Page 2 of 4

Revision Date Supersedes Date 7/30/2015 6/1/2015

<u>Unsuitable</u>

extinguishing media:

Do not use direct stream of water.

Specific hazards:

Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool.

Advice for firefighters:

Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined

spaces or as otherwise needed.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions. protective equipment and emergency procedures

in the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep

away from Ignition sources. Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other sultable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by

skimming or with sultable absorbents. Seek the advice of a specialist before using dispersants.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing agents. Rotate stock.

ECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace exposure limits:

Chemical name

Exposure limit and source

5 mg/m3 (oil mist), TWA, ACGIH

Exposure controls Engineering controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective

occupational exposure limits.

Ventilation:

Use in a well-ventilated area. See Engineering Controls.

White mineral oil (petroleum), <20.5 cSt @ 40°C

Personal hygiene:

Wash skin thoroughly after contact, before breaks and meals and at the end of work period. Product is readily removed from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection:

Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection:

Any lined non-permeable rubber gloves.

Water white liquid with mild petroleum odor

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A

NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Upper flammability limit:

Not available

Physical state:

Appearance / odor:

Liquid

Lower flammability limit: Not available

Negligible

Odor threshold:

Not available Vapor density: Not applicable

Not available

pH:

Melting / freezing point: Not available

325°F (163°C), ASTM D 92

Not available

Not available

Initial boiling point and bolling range:

Relative density:

Vapor pressure:

Insoluble

Solubility in water:

Flash point:

Partition coefficient (n-octanol/water):

Not available

Evaporation rate:

Not available

Autoignition temperature:

Not available

Page 3 of 4

Revision Date

7/30/2015 6/1/2015

Supersedes Date

Flammability (solid, gas): Not applicable

Decomposition temperature: Not available

Viscosity:

<20.5 cSt @ 40°C

SECTION 10. STABILITY AND REACTIVITY

Reactivity:

Not reactive under normal conditions. Stable under recommended conditions.

Possibility of

hazardous reactions:

Hazardous reactions are not expected to occur.

Conditions and

Chemical stability:

materials to avoid:

Avoid heat, sparks, open flames, and other sources of Ignition. Avoid contact with strong oxidizers.

Hazardous

Fumes, smoke, carbon monoxide and carbon dioxide.

decomposition products:

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact: Skin contact: No known significant effects or critical hazards. No known significant effects or critical hazards. May be fatal if swallowed and enters airways.

Inhalation: Ingestion:

May be fatal if swallowed and enters airways.

Component

LD.

ርር...

information:

White mineral oil (petroleum), <20.5 cSt @ 40°C

Not available

Not available

Information on physical, chemical and toxicological effects

Symptoms:

Please see Section 4 of this SDS for symptoms.

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects:

May be fatal if swallowed and enters airways.

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

Numerical measures of Not determined

toxicity:

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity:

Not available

Component

Components

L(E)C.

information:

White mineral oil (petroleum), <20.5 cSt @ 40°C

Not available

Persistence and

Not determined

degradability:

Bioaccumulative

Not determined

potential:

Not available

Mobility in soil:

Other adverse effects:

Not determined

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods:

Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Consult national or regional authorities for proper disposal and reporting procedures.

SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

Hazard **Packing Proper Shipping Name: UN Number:** Remarks: Class: Group: U.S. D.O.T. Not regulated None None None None Not regulated None None ADR/RID None None

Page 4 of 4

Revision Date Supersedes Date

7/30/2015 6/1/2015

IMDG IATA

Not regulated Not regulated

None None

None None

None None

None None

SECTION 15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA Section 302 **Extremely Hazardous** This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:

Substances:

SARA Section 304 CERCLA Hazardous

Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to

reporting to the National Response Center under CERCLA:

Substances: None

Chemicals:

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations:

TSCA Inventory:

All components of this material are on the U.S. TSCA Inventory.

U.S. State Regulations

California Proposition

This product does not contain chemical(s) known to the State of California to cause birth defects or other reproductive harm.

65 Status California

None

Proposition 65 **Listed Components**

International Regulations

Canada:

All components are in compliance with the Canadian Environmental Protection Act. This product has been classified in

accordance with the hazard criteria of the CPR and this SDS contains all the information required by CPR.

Japan MITI:

Not available

Australia:

Not available

Switzerland:

Not available

SECTION 16. OTHER INFORMATION

Sections Revised:

New SDS format

Revision Date:

7/30/2015

The information and recommendations contained herein are, to the best of Pressure-Lube Inc.'s knowledge and belief, accurate and reliable as of the date issued. Pressure-Lube Inc. makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and Pressure-Lube Inc. shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with Pressure-Lube Inc.'s interpretation of the available data.

*** END OF SDS ***