

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.03.2014

Version number 3

Revision: 21.03.2014

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: <u>HP Ultra</u>
- · Article number: 0781 319 806..
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Motor Oil
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: ANDREAS STIHL AG & Co.KG Badstr. 115 D-71336 Waiblingen Tel: +49(0)7151-26-3237 Fax: +49(0)7151-26-8-3237 Email: info@stihl.com

- Informing department: Produktmanagement Forsttechnik Tel: +49(0)7151-26-3237 Fax: +49(0)7151-26-83237
- **1.4 Emergency telephone number:** Tel: +49-621-60-43333 Fax: +49-621-60-92664

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
- The product is not classified according to the CLP regulation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC Void

- · 2.2 Label elements
- Labelling according to EU guidelines: The product is not subject to identification regulations under EC Directives and the Ordinance on Hazardous Materials.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

• **Description:** Mix of the substances listed below including additives not requiring identification.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 21.03.2014

Version number 3

Revision: 21.03.2014

Dangerous components:		(Contd. of page
Polymer Phenol, Butenyl-Verbindung, aminiert	₩ N R51/53	10-25%
	🚯 Aquatic Chronic 2, H411	
Alkylimidazolin	🗙 Xi R36	1-5%
	🚺 Eye Irrit. 2, H319	
· Additional information For the wording of the li	sted risk phrases refer to section 16.	
	sted risk phrases refer to section 16.	

· 4.1 Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing Do not induce vomiting; instantly call for medical help.
 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents
 Extinguishing powder foam or water iei
- Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam. • For safety reasons unsuitable extinguishing agents Water with a full water jet.
- For safety reasons unsultable extinguishing agents water with a full wa • 5.2 Special hazards arising from the substance or mixture
- Can be released in case of fire Carbon monoxide (CO) Nitrogen oxides (NOx)

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained breathing apparatus.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Particular danger of slipping on leaked/spilled product.
 6.2 Environmental precautions: Inform respective authorities in case product reaches water or sewage system. Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Remove from the surface of water (e.g. skim or vacuum off) Should larger amounts of liquid run out stem it and dispose it of. Absorb with liquid-binding material (sand, diatomite, universal binders) and disposal in suitable containers.
- **6.4 Reference to other sections** See Section 8 for information on personal protection equipment. See Section 7 for information on safe handling.

(Contd. on page 3)

GB

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 21.03.2014

Version number 3

Revision: 21.03.2014

Trade name: HP Ultra

See Section 13 for information on disposal.

(Contd. of page 2)

7 Handling and storage

- **7.1 Precautions for safe handling** Avoid contact with eyes and skin. No special precautions necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- **Requirements to be met by storerooms and containers:** Prevent any penetration into the ground.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Must be stored in a collecting room.
- 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures
- Do not carry cleaning cloths impregnated with the product in trouser pockets. Be sure to clean skin thoroughly after work and before breaks.

· Breathing equipment: Not required.

- · Protection of hands:
- Oil resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

If only a short-term loading of the glove material by splashes is expected, tricoted gloves with higher wearability for the better acceptance of the users are recommended.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber, NBR

- · Eye protection: Safety glasses recommended during refilling.
- · Body protection: Protective work clothing.

GB

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.03.2014

Version number 3

Revision: 21.03.2014

Trade name: HP Ultra

(Contd. of page 3)

9 Physical and chemical prop	erties					
· 9.1 Information on basic physical and chemical properties						
· General Information						
· Appearance:						
Form:	Fluid					
Colour:	Green					
· Odour:	Weak, characteristic					
· Change in condition						
Melting point/Melting range:	Not determined					
Boiling point/Boiling range:	Not determined					
· Pour point:	-39 ℃					
· Flash point:	222 °C (cc)					
· Self-inflammability:	Product is not selfigniting.					
· Danger of explosion:	Product is not explosive. However, formation of explosive air/steam mixtures is possible.					
· Critical values for explosion:						
Lower:	0.6 Vol %					
Upper:	6.5 Vol %					
· Density at 20 °C	0.93 g/cm³					
· Solubility in / Miscibility with						
Water:	Not miscible or difficult to mix					
• Partition coefficient (n-octanol/water): > 3 log POW						
· Viscosity:						
kinematic at 40 °C:	49 mm²/s					
· Solvent content:						
Organic solvents:	0.0 %					
Water:	0.0 %					
· 9.2 Other information	No further relevant information available.					

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Avoid contact with strong oxidizing agents.
- 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

(Contd. on page 5)

GE

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 21.03.2014

Version number 3

Revision: 21.03.2014

Trade name: HP Ultra

(Contd. of page 4)

11 Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin:

Longer or repeated contact with the product reduces the natural readipogenesis of the skin and results in the desiccation of the skin. That product can be absorbed via the skin.

· on the eye: Splashes can cause temporary eye irritation.

· Sensitization:

Sensitive persons can possibly have allergic reactions. This is also valid below the fixed levels of exposure.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version.

12 Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is readily biodegradable.
- · Behaviour in environmental systems:
- · Components:

A product that has flown out can lead to the formation of a film on the water surface which reduces the oxygen exchange and results in the organisms dying-off.

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

The waste code numbers mentioned are recommendations based on the probable use of the product.

The product is suitable for processing by an approved recycling facility or can be disposed of at any government approved waste disposal facility.

· European waste catalogue				
13 00 00	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)			
13 02 00	waste engine, gear and lubricating oils			

13 02 06 synthetic engine, gear and lubricating oils

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.03.2014

Version number 3

Revision: 21.03.2014

Trade name: HP Ultra	
----------------------	--

(Contd. of page 5)

· Uncleaned packagings:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings. Packaging may be reused or recycled after cleaning.

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Ann of MARPOL73/78 and the IBC Code 	ex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

R36 Irritating to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Department issuing data specification sheet:

The safety data sheets were drawn up in cooperation with the Umweltkanzlei Dr.Rhein Beratungsund Prüfgesellschaft mbH, Phone: +49 5066 900990.

(Contd. on page 7)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.03.2014

Version number 3

Revision: 21.03.2014

(Contd. of page 6)

Trade name: HP Ultra

•	Abbre	viations	and	acron	vms:
---	-------	----------	-----	-------	------

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 • * Data compared to the previous version altered.