

# SAFETY DATA SHEET

# 1. Identification

**Product identifier** Flex Paste White Not available. Other means of identification Paste. Sealant Recommended use None known. **Recommended restrictions** Manufacturer information

Swift Response LLC 2690 Weston Road Weston, FL 33331 US

**Supplier** See above. **CHEMTREC** 800-424-9300

# 2. Hazard identification

Physical hazards Not classified.

**Health hazards** Serious eye damage/eye irritation Category 2

Sensitization, skin Category 1 Reproductive toxicity Category 1B Specific target organ toxicity, repeated Category 2

exposure

**Environmental hazards** Not classified. WHMIS 2015 defined hazards Not classified

Label elements



Signal word Danger

**Hazard statement** Causes serious eye irritation.

May cause an allergic skin reaction. May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

**Precautionary statement** 

Prevention Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe mist or vapor. Wash thoroughly after handling.

Do not breathe vapors.

Wear protective gloves, protective clothing, eye protection and face protection. Contaminated work clothing should not be allowed out of the workplace.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Response

Specific treatment (see information on this label). Take off contaminated clothing and wash it

before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF exposed or concerned: Get medical attention.

**Storage** Store locked up.

Dispose of container in accordance with local, regional, national and international regulations. Disposal

WHMIS 2015: Health Hazard(s) not otherwise classified

(HHNOC)

None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise classified (HNOC)

None known.

None known

Supplemental information None.

Flex Paste White Page: 1 of 9 Issue date 26-February-2020

	3. Composition/Information on	ingredients	
Mixture			
Chemical name	Common name and synonyms	CAS number	%
1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]-		1760-24-3	0.5 - 1.5*
Silane, ethenyltrimethoxy-		2768-02-7	1 - 5*
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)-		22673-19-4	0.1 - 1*
All concentrations are in percent b	y weight unless ingredient is a gas. Gas conc	entrations are in percent by vo	lume.
Composition comments	*CANADA GHS: The exact percentage (contrade secret. US GHS: The exact percentage (concentrate)		
	secret in accordance with paragraph (i) of §		withincia as a trade
	4. First-aid measure	s	
Inhalation	If symptoms develop move victim to fresh a	ir. If symptoms persist, obtain	medical attention.
Skin contact	IF ON SKIN: Wash with plenty of water. If sl off contaminated clothing and wash it before label).		
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.		
Ingestion	Rinse mouth. Do not induce vomiting. If von reduce risk of aspiration. Never give anythin Get medical attention if symptoms occur.		
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may includ- vision.  May cause an allergic skin reaction. Dermat Prolonged exposure may cause chronic effe	iitis. Rash.	velling, and blurred
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tr	reat symptomatically. Sympton	ns may be delayed.
General information	IF exposed or concerned: Get medical advice attendance. Ensure that medical personnel precautions to protect themselves. Wash concerned and skin. Keep out of reach of children	are aware of the material(s) in ontaminated clothing before re	volved and take
	5. Fire-fighting measu	res	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Ca	rbon dioxide.	
Unsuitable extinguishing media	Not available.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may	be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire-fighting equipment/instructions	Move containers from fire area if you can do	so without risk.	
Specific methods	Use standard firefighting procedures and co	onsider the hazards of other inv	volved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
Hazardous combustion products	May include and are not limited to: Oxides of	f carbon.	
	6. Accidental release mea	asures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep p damaged containers or spilled material unle breathe mist or vapor. Ensure adequate ver significant spillages cannot be contained. For	ss wearing appropriate protec itilation. Local authorities shou	tive clothing. Do not lld be advised if
Methods and materials for	Stop the flow of material, if this is without ris	k. Dike the spilled material, wh	nere this is possible.

containment and cleaning up

Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Do not discharge into lakes, streams, ponds or public waters.

Flex Paste White Page: 2 of 9 Issue date 26-February-2020

# 7. Handling and storage Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Provide adequate ventilation. Pregnant or breastfeeding women must not handle this product. Avoid prolonged exposure. Wash thoroughly after handling. When using do not eat or drink. Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children. 8. Exposure controls/Personal protection

luding any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.		
8. Exposure controls/Personal protection			
cupational exposure limits			
	upational Health & Safety Code, Sch		
Components	Туре	Value	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3	
	TWA	0.1 mg/m3	
		for Chemical Substances, Occupational Health and	
Safety Regulation 296/97, as Components	Туре	Value	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3	
	TWA	0.1 mg/m3	
Canada. Manitoba OELs (Rec Components	g. 217/2006, The Workplace Safety A Type	and Health Act)  Value	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3	
	TWA	0.1 mg/m3	
Canada. Ontario OELs. (Con Components	ntrol of Exposure to Biological or Ch Type	emical Agents) Value	
Silane, ethenyltrimethoxy- (CAS 2768-02-7)	STEL	60 mg/m3	
,		10 ppm	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	TWA	0.1 mg/m3	
Canada. Quebec OELs. (Mir Components	nistry of Labor - Regulation respectir Type	ng occupational health and safety) Value	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3	
	TWA	0.1 mg/m3	
Canada. Saskatchewan OEI Components	_s (Occupational Health and Safety F Type	Regulations, 1996, Table 21) Value	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	15 minute	0.2 mg/m3	
<b>22010</b> 10 <del>1</del> )	8 hour	0.1 mg/m3	

US	OSHA Table	7-1   imits	for Air	<b>Contaminants</b>	(29 CFF	1910 1000)

Components	Type `	, Value	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	PEL	0.1 mg/m3	
<b>US. ACGIH Threshold Limit Value</b>	s		
Components	Туре	Value	
Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	STEL	0.2 mg/m3	
	TWA	0.1 mg/m3	
US. NIOSH: Pocket Guide to Cher	nical Hazards		
Components	Туре	Value	
Tin, dibutylbis (2,4-pentanedionato-0,0')-,	TWA	0.1 mg/m3	

**Biological limit values** 

(OC-6-11)- (CAS 22673-19-4)

No biological exposure limits noted for the ingredient(s).

#### **Exposure guidelines**

#### Canada - Alberta OELs: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Can be absorbed through the skin.

(CAS 22673-19-4)

#### Canada - British Columbia OELs: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Can be absorbed through the skin.

(CAS 22673-19-4)

#### Canada - Manitoba OELs: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Can be absorbed through the skin.

(CAS 22673-19-4)

# Canada - Ontario OELs: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Can be absorbed through the skin.

(CAS 22673-19-4)

#### Canada - Quebec OELs: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Can be absorbed through the skin.

(CAS 22673-19-4)

# Canada - Saskatchewan OELs: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Can be absorbed through the skin.

(CAS 22673-19-4)

# **US ACGIH Threshold Limit Values: Skin designation**

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Can be absorbed through the skin.

(CAS 22673-19-4)

## US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Can be absorbed through the skin.

(CAS 22673-19-4)

# Appropriate engineering controls

exposure limits have not been establis

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

# Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Confirm with a reputable supplier first.

Other As required by employer code.

**Respiratory protection** Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. When using do not eat or drink.

Flex Paste White Page: 4 of 9 Issue date 26-February-2020

9. Physical and chemical properties

Paste. **Appearance** Physical state Liquid. **Form** Paste Color White Odorless Odor **Odor threshold** Not available.

pН

Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Not available. Pour point Specific gravity Not available. Not available. Partition coefficient

(n-octanol/water)

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

Vapor pressure Not available. Not available. Vapor density 1.77 g/cm<sup>3</sup> Relative density Not available. Solubility(ies) Not available. **Auto-ignition temperature Decomposition temperature** Not available. 3 - 3.5 McP **Viscosity** 

Other information

Not explosive. **Explosive properties Oxidizing properties** Not oxidizing

# 10. Stability and reactivity

May react with incompatible materials. Reactivity

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Material is stable under normal conditions. **Chemical stability** 

Do not mix with other chemicals. Conditions to avoid

Incompatible materials Acids. Oxidizers.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

# 11. Toxicological information

Eye, Skin contact, Inhalation, Ingestion. Routes of exposure

Information on likely routes of exposure

May cause stomach distress, nausea or vomiting. Ingestion

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation.

May cause an allergic skin reaction. Skin contact

Eye contact Causes serious eye irritation. Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

# Information on toxicological effects

**Acute toxicity** May cause an allergic skin reaction.

Acute toxicity	May cause an allergic skin reaction.	
Components	Species	Test Results
1,2-Ethanediamine, N-[3-(trime	thoxysilyl)propyl]- (CAS 1760-24-3)	
Acute		
Dermal	D-kl-4	
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
		> 16 ml/kg, 24 Hours, ECHA
	Rat	> 2009 mg/kg, 24 Hours, ECHA
Inhalation	Б.,	45.04 // 411 // 5011
LC50	Rat	1.5 - 2.4 mg/L, 4 Hours, ECHA
Oral	Det	2574 malka FCHA
LD50	Rat	2574 mg/kg, ECHA
		2413 mg/kg, ECHA
		2295 mg/kg, ECHA
		1897 mg/kg, ECHA
		7.5 ml/kg, ECHA
Silane, ethenyltrimethoxy- (CAS	S 2768-02-7)	
Acute		
Dermal LD50	Rabbit	3.5 ml/kg, 24 Hours, ECHA
LD30	Nabbit	
labalation		3.4 - 4 ml/kg, 24 Hours, ECHA
Inhalation LC50	Rat	2773 ppm, 4 Hours, ECHA
Oral	Nat	2773 ppm, 4 flours, Lona
LD50	Mouse	3750 mg/kg, ECHA
2500	Mode	2000 mg/kg, ECHA
		1600 mg/kg, ECHA
		500 mg/kg, ECHA
	Det	
	Rat	300 - 2000 mg/kg, ECHA
		11.3 ml/kg, ECHA
		8.2 ml/kg, ECHA
		7.3 - 7.5 ml/kg, ECHA
	nato-0,0')-, (OC-6-11)- (CAS 22673-19-4)	
Acute		
Dermal LD50	Rabbit	3000 mg/kg, ACIMA
LDS0	Rat	> 2000 mg/kg, 24 Hours, ECHA
Inhalation	Nat	2000 Hig/kg, 24 Hours, LOHA
LC50	Not available	
Oral	1101 010110010	
LD50	Rat	2431 mg/kg, ACIMA
		1864 mg/kg, ECHA
Skin corrosion/irritation	Prolonged skin contact may cause tempora	
Exposure minutes	Not available.	ny minduon.
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye	Causes serious eye irritation.	
irritation	Sauces School Sys inflation.	
Corneal opacity value	Not available.	
• •		

Flex Paste White Page: 6 of 9 Issue date 26-February-2020

Iris lesion value
Conjunctival reddening

value

Not available.
Not available.

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

Skin sensitizationMay cause an allergic skin reaction.MutagenicitySuspected of causing genetic defects.CarcinogenicityNot classifiable as a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

**Reproductive toxicity** May damage fertility or the unborn child.

Teratogenicity Not available.

Specific target organ toxicity - Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful.

# 12. Ecological information

**Ecotoxicity** Not available.

Persistence and degradability

**Bioaccumulative potential** 

No data is available on the degradability of this product.

Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Elogate disposal regulations

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the

product will appear below.

**U.S. Department of Transportation (DOT)** 

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

#### 15. Regulatory information

**Canadian federal regulations**This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada CEPA Schedule I: Listed substance

Aluminum hydroxide (CAS 21645-51-2) Listed.

Flex Paste White Page: 7 of 9 Issue date 26-February-2020

Canada Priority Substances List (Second List): Listed substance

Aluminum hydroxide (CAS 21645-51-2) Listed.

Export Control List (CEPA 1999, Schedule 3)

Not listed

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

WHMIS 2015 Exemptions Controlled

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely

hazardous substance

Classified hazard Acute toxicity (any route of exposure)
categories Respiratory or skin sensitization

Carcinogenicity
Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Listed. (CAS 22673-19-4)

**US - Minnesota Haz Subs: Listed substance** 

Aluminum hydroxide (CAS 21645-51-2) Listed. Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Listed. (CAS 22673-19-4)

US - Texas Effects Screening Levels: Listed substance

1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]- Listed.

(CAS 1760-24-3)

Aluminum hydroxide (CAS 21645-51-2)

Listed.

Decanedioic acid, bis

Listed.

(2,2,6,6-tetramethyl-4-piperidinyl) ester (CAS

52829-07-9)

Silane, ethenyltrimethoxy- (CAS 2768-02-7) Listed. Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- Listed. (CAS 22673-19-4)

**US. Rhode Island RTK** 

Aluminum hydroxide (CAS 21645-51-2)

Tin, dibutylbis (2,4-pentanedionato-0,0')-, (OC-6-11)- (CAS 22673-19-4)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No


Flex Paste White Page: 8 of 9 Issue date 26-February-2020

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)


# 16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Disclaimer







The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.