

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 10-Aug-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: GRAFFITI REMOVER SAC

Product Number: 3071, 3171 **Recommended Use:** Cleaning agent

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Acute Toxicity - Oral: Category 4
Serious Eye Damage/Eye Irritation: Category 1
Specific Target Organ Toxicity (Single Category 3

Exposure):

Aspiration Toxicity: Category 1 Flammable Liquids Category 4

GHS Label Elements

Signal Word: Danger

Symbols:



Hazard Statements: Harmful if swallowed.

Causes serious eye damage May cause respiratory irritation

May be fatal if swallowed and enters airways

Combustible liquid

Precautionary Statements:

Prevention: Wash hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product

Wear eye / face protection Wear protective gloves

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area.

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Response:

Revision Date: 10-Aug-2015 3071 - GRAFFITI REMOVER SAC

-Eves IF IN EYES: IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for -Inhalation:

breathing. Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Do NOT -Ingestion:

induce vomiting. Rinse mouth.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

In case of fire: Use CO2, dry chemical, or foam for extinction Fire:

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Storage:

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information: · May cause skin irritation.

Contains petroleum distillates. Possible aspiration hazard.

· Keep out of reach of children.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
soybean oil methyl esters	67784-80-9	15-40
ethyl lactate	97-64-3	15-40
petroleum distillates	64742-47-8	15-40
alcohol ethoxylate	34398-01-1	5-10
1-undecanol	112-42-5	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and -Eye Contact:

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

Wash with soap and water. If skin irritation occurs: Get medical attention. -Skin Contact:

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Do NOT induce vomiting. -Ingestion:

Rinse mouth.

Note to Physicians: Contains petroleum distillates. Possible aspiration hazard.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Dry chemical, CO2, water spray or regular foam, Move containers from fire area if you can

do it without risk

Specific Hazards Arising from the

Chemical:

Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray. **Precautions for Firefighters:**

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Remove all sources of ignition.

Environmental Precautions: Do not rinse spill onto the ground, into storm sewers or bodies of water.

3071 - GRAFFITI REMOVER SAC Revision Date: 10-Aug-2015

Methods for Clean-Up: Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Rags, towels or mops soaked with this product are subject to spontaneous combustion if not handled properly. Thoroughly rinse these materials with water to remove product before

disposal or discard in special containers designed for this purpose.

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Use personal

protective equipment as required. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used when handling the product must be grounded. Rags, towels or mops soaked with this product are subject to spontaneous combustion if not handled properly. Thoroughly rinse these materials with water to remove product before

disposal or discard in special containers designed for this purpose.

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat/sparks/open flames/hot surfaces. — No smoking. Do not store above 125°F. Product will expand and may cause container to swell and possibly rupture. In case of container

expansion, carefully vent container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits: None established.

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection: Wear splash goggles.

Skin and Body Protection: Wear rubber or other chemical-resistant gloves. (neoprene or nitrile is recommended).

Respiratory Protection: Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Yellow
Odor:	Bland
pH:	Not Applicable
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	> 149 °C / 300 °F
Flash Point:	64 °C / 147 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.8935
Solubility(ies):	No information available.
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Heat, flames and sparks.

Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Products:

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact: Drying of the skin.

-Inhalation: Nasal discomfort and coughing.

-Ingestion: Harmful if swallowed. Pain, nausea, vomiting and diarrhea. Aspiration may cause

pulmonary edema and pneumonitis.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 1675 mg/kg ATEmix (dermal): 3057 mg/kg

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ethyl lactate 97-64-3	> 2000 mg/kg (Rat)	> 5000 mg/kg (Rat)	Not Available
petroleum distillates 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
1-undecanol 112-42-5	= 3 g/kg (Rat)	= 4760 μL/kg(Rabbit)	Not Available

3071 - GRAFFITI REMOVER SAC Revision Date: 10-Aug-2015

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
petroleum distillates 64742-47-8	Not Available	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	4720: 96 h Den-dronereides heteropoda mg/L LC50
1-undecanol 112-42-5	Not Available	1.04: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	Not Available

Persistence and Degradability:No information available.Bioaccumulation:No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes:Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging:
Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated

Proper Shipping Name: Non-Hazardous Product

Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG: Not Regulated

Proper Shipping Name: Non-Hazardous Product

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:

Chronic Health Hazard:

No
Fire Hazard:

Sudden release of pressure hazard:

No
Reactive Hazard:

No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

3071 - GRAFFITI REMOVER SAC Revision Date: 10-Aug-2015

NFPA Health Hazards: 2 Flammability: 2 Instability: 0 Special: N/A

HMIS Health Hazards: 2 Flammability: 2 Physical Hazards: 0

Revision Date: 10-Aug-2015 **Reasons for Revision:** Section 14 and 15

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet