Printing date 11/11/2016	Novisci el	n 11/11/201
1 Identification of the substance ar	nd manufacturer	
Trade name: Product code: Product category Manufacturer/Supplier:	STRIPE PRECAUTION BLUE 0000160653 PC9a Paints and coatings. Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 phone: 815-895-9101 www.seymourpaint.com	
Emergency telephone number:	CHEMTEL 1-800-255-3924, or 813-248-0585.	
STOT SE 3 H335 May cause resp	mable aerosol. nder pressure; may explode if heated. piratory irritation. nage to organs through prolonged or repeated exposure.	
Signal word Hazard statements Precautionary statements	GHS02 GHS04 GHS07 GHS08 Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
	Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Protect from sunlight. Store in a well-ventilated place. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/inte regulations.	rnationa
3 Composition/information on ingr	edients	
Chemical characterization: Mixtures		
Chemical Description: Dangerous components:	This product is a mixture of the substances listed below with nonhazardous additions.	
74-98-6 propane		17.63%
64742-89-8 VM&P Naphtha		17.6%
1317-65-3 Calcium Carbonate		14.72%
106-97-8 n-butane		10.36%
64742-47-8 Mineral Spirits		4.15%
13463-67-7 titanium dioxide		1.13%
4 First-aid measures		
After inhalation:	Supply fresh air; consult doctor in case of complaints.	
After skin contact:	Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. Then consult a doctor.	
After eye contact: After swallowing:	Rinse opened eye for several minutes under running water. Then consult a doctor. Rinse out mouth and then drink plenty of water.	
Atter entaileming.	Rinse mouth with water. Do not induce vomiting.	
Most important symptoms and	Rinse mouth with water. Do not induce vomiting.	
Most important symptoms and effects:	Rinse mouth with water. Do not induce vomiting. Dizziness	
Most important symptoms and	Rinse mouth with water. Do not induce vomiting. Dizziness	
Most important symptoms and effects: Indication of any immediate medical attention needed:	Rinse mouth with water. Do not induce vomiting. Dizziness	
Most important symptoms and effects: Indication of any immediate medical attention needed: 5 Fire-fighting measures	Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.	
Most important symptoms and effects: Indication of any immediate medical attention needed: 5 Fire-fighting measures Extinguishing agents:	Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available. CO2, extinguishing powder or water spray. Fight larger fires with water spray.	
Most important symptoms and effects: Indication of any immediate medical attention needed: 5 Fire-fighting measures	Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.	
Most important symptoms and effects: Indication of any immediate medical attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards:	Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available. CO2, extinguishing powder or water spray. Fight larger fires with water spray.	
Most important symptoms and effects: Indication of any immediate medical attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for firefighters:	Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available. CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures.	
Most important symptoms and effects: Indication of any immediate medical attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for	Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available. CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures.	

Safety Data Sheet

Page 2/3

Safety Data Sheet			
Printing date 11/11/2016 Revised On 11/11/2016			
Trade name: STRIPE PRECAUTION BLUE			
Methods and material for	(Contd. of page 1)		
containment and cleaning up:	Ensure adequate ventilation.		
7 Handling and storage Precautions for safe handling	Line only in well ventileted erece		
Storage requirements:	Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up.		
8 Exposure controls/personal protection			
Components with limit values that require monitoring at the workplace:			
74-98-6 propane PEL (United States GHS) Long-term value: 1800 mg/m³, 1000 ppm			
REL (United States GHS) Long-term v			
TLV (United States GHS) refer to App	endix F inTLVs&BEIs book; NIC-EX		
106-97-8 n-butane REL (United States GHS) Long-term v	alue: 1900 mg/m ³ 800 ppm		
TLV (United States GHS) Short-term v NIC-EX			
Hygienic protection:	Keep away from foodstuffs and animal feed. Wash hands after use.		
	Wash hands after use. Do not eat or drink while working.		
Breathing equipment:	A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be		
	worn. If you suspect overexposure conditions exist, please consult an authority on chemical		
Hand protection:	hygeine. Nitrile gloves.		
Eye protection:	Protective gloves. The glove material must be impermeable and resistant to the substance. Tightly sealed goggles		
	ngniy socioù goggios		
9 Physical and chemical properties			
Appearance: Odor:	Aerosol. Aromatic		
Odor threshold:	Not determined.		
pH-value: Melting point/Melting range Boiling point:	Not determined. Undetermined. -44 °C (-47 °F)		
Flash point: Flammability (solid, gas):	-19 °C (-2 °F) Extremely flammable.		
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not self-igniting.		
Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 1.5 Vol % 10.9 Vol %		
Vapor pressure:	Not determined.		
Relative Density: Vapor density Evaporation rate	Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable.		
Partition coefficient: n-octonal/water	: Not determined.		
Solubility: Viscosity: VOC content (less exempt solvents): Water:	Not determined. Not determined. 51.9 % 23.7 %		
Solids content:	23.3 %		
10 Stability and reactivity			
10 Stability and reactivity Reactivity:	Stable at normal temperatures.		
Conditions to avoid:	Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing temperatures.		
Chemical stability:	Not fully evaluated.		
Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition:	No dangerous reactions known. No further relevant information available. No dangerous decomposition products known.		
11 Toxicological information			
LD/LC50 values that are relevant for	classification:		
106-97-8 n-butane Inhalative LC50/4 h 658 mg/l (rat)			
13463-67-7 titanium dioxide			
Oral LD50 >20000 mg/kg (ra			
	(Contd. on page 3)		

L

L

L

L

Page 3/3

Revised On 11/11/2016

Trade name: STRIPE PRECAUTION BLUE		
(Contd. of page 2)		
Dermal LD50 >10000 mg/kg (rb Inhalative LC50/4 h >6.82 mg/l (rat)	lt)	
Information on toxicological effects:	No data available.	
Skin effects:	No irritant effect.	
Eye effects: Sensitization:	No irritating effect. No sensitizing effects known.	
Carcinogenic categories		
IARC (International Agency for Research		
13463-67-7 titanium dioxide	2B	
NTP (National Toxicology Program) None of the ingredients is listed.		
12 Ecological information		
Aquatic toxicity:	Hazardous for water, do not empty into drains.	
Persistence and degradability:	The product is degradable after prolonged exposure to natural weathering processes.	
Bioaccumulative potential: Mobility in soil:	No further relevant information available.	
Other adverse effects:	No further relevant information available.	
13 Disposal considerations		
Dispose of in accordance with local, st be disposed of responsibly. Do not hea	tate, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must at or cut empty containers with electric or gas torches.	
Recommendation:	Completely empty cans should be recycled.	
14 Transport information		
UN-Number DOT	UN1950 N/A	
	UN1950	
DOT	Consumer Commodity ORM-D Aerosols, flammable	
ADR	1950 Aerosols	
Transport hazard class(es): Class	2.1	
Marine pollutant:	No	
Special precautions for user: EMS Number:	Warning: Gases F-D,S-U	
Packaging Group:		
UN "Model Regulation":	UN1950, Aerosols, 2.1	
45 Descriptory information		
15 Regulatory information		
SARA Section 355 (extremely hazard None of the ingredients in this product		
SARA Section 313 (Specific toxic che		
None of the ingredients is listed.		
CPSC:	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.	
California Proposition 65 chemicals		
13463-67-7 titanium dioxide		
100-41-4 ethyl benzene 1333-86-4 Carbon black		
	J	
PROTECTION ACT:	All hazardous ingredients for this product appear on the Canadian Domestice Substance List.	
WHMIS Symbols for Canada:	A - Compressed gas	
EPA: None of the ingredients is listed.		
16 Other information		
Contact:	Regulatory Affairs	
Date of preparation / last revision	11/11/2016 / -	